



# UNLIMITED CREATION

## APPLICATION INSTRUCTIONS

# SublimPlus

Stunning bright colors, very easy to use, and a great PU touch, it's definitely time to go Subim !

### FEATURES:



PU  
water  
based



120 μ



Cotton, polyester,  
blended fabrics..  
Less suitable for nylon  
and other coated textiles.



Sublimation

### SUBLIMATION CONDITIONS:



180 °C



30 s



medium

#### Heat up the base plate first

Place sublimation paper, printed side up, on the press first and place SublimPlus, print side down, on top.

### CUTTING CONDITIONS:



Blade  
30 - 45°



low/  
medium



30 - 40 cm/s

### TRANSFER CONDITIONS:



150 °C



15 s



medium



warm peel



30 - 40 °C



1. Print mirrored on suitable sublimation paper (with registration marks)



2. Transfer the sublimation pigments



3. Cut contour



4. Weed design




5. Transfer, remove tape, done !

Connected designs can be transferred without tape.  
When using application tape, ensure that there are no bubbles to avoid cloud marks.



Demo Video

### ► PACKAGING



Store in a cool and dry place; protect against the influence of light when stored. We recommend not to exceed a storage period of 12 months. The technical specifications rest on extensive tests and technical research. Due to the variety of possible influences during refinement, and use, the specifications should be viewed as reference values. We recommend a suitability test on the original material. A legally binding warranty of specific characteristics cannot be derived from our specifications.

SEF • 110 BD DENIS-PAPIN 53000 LAVAL – FRANCE  
TEL. +33 2. 43 53 36 48 FAX +33 2. 43 67 11 78  
www.seftextile.com E-mail: contact@sef-france.com  
SAS. CAPITAL € 945 000 RCS, LAVAL 304.802.291.00027



Modifié 03/2024